

✓ *gill*



Name of material being tested	NO. 6 FUEL OIL 1.5%
Description of sample source	EX. SHORE TK NO. 1 AFTER DISCHARGE OF THALASSA DESGAGNES
Samples Drawn by (company)	INSPECTORATE
Samples Tested by (company)	INSPECTORATE

DENNIS E. CURTIS
Inspectorate America Corp (Searsport, Me.)

BSI-Inspectorate America
178 Mortland Road
Searsport, Maine 04974
(207)548-6440



QUALITY CERTIFICATE

Vessel	SHORE TANK NO. 1	Port	SEARSPORT, MAINE	Report	SP/02/1108
Customer	SPRAGUE	Date	November 6, 2002	Reference	
Operation	ANALYSIS	Terminal	SPRAGUE	Sample #	578984

Name of material being tested
Description of sample source
Samples Drawn by (company)
Samples Tested by (company)

NO. 6 FUEL OIL 0.7%

EX. SHORE TANK NO. 1 AFTER DISCHARGE OF FLORIDA
INSPECTORATE
INSPECTORATE

[illegible]

✓ file



Name of material being tested
Description of sample source
Samples Drawn by (company)
Samples Tested by (company)

EX. SHORE TANK NO. 1 AFTER DISCHARGE OF KTC 71
INSPECTORATE
INSPECTORATE

THE ATTACHED CERTIFICATE REPRESENTS THE PRODUCT INSPECTED BY THE INSPECTION SERVICE ON THE DATE STATED ON THE CERTIFICATE IN THE TANK STATED BY THE INSPECTION SERVICE. SPRAGUE REPRESENTS THAT ANY PRODUCT IT MAY SELL AT THE RACK MAY DIFFER FROM SUCH INSPECTION CERTIFICATE BUT SUCH PRODUCT SHALL MEET THE SPECIFICATIONS AS MAY BE REQUIRED BY ANY APPLICABLE REGULATIONS WITHIN THE STATE THAT THE PRODUCT IS SOLD.

DENNIS E. CURTIS
Inspectorate America Corp (Searsport, Me.)

file ✓



Name of material being tested	NO. 6 FUEL OIL 1.0%
Description of sample source	EX. SHORE TANK NO. 1 AFTER DISCHARGE OF B NO. 120
Samples Drawn by (company)	INSPECTORATE
Samples Tested by (company)	INSPECTORATE

DENNIS E. CURTIS
Inspectorate America Corp (Searsport, Me.)

✓
file



REPORT OF ANALYSIS

Vessel United Triton
Port/Terminal Sprague, Searsport, Maine
Client Reference V-02-1179
Our Reference 2002-0293
Date Sample Taken 09/18/02
Date Submitted 09/18/02
Date Tested 09/19/02
Sample Designated as No. 6 Fuel Oil
Drawn By Intertek Testing Services Caleb Brett
Representing Shore tank 1 after discharge

Lab Reference Number **2293ART1**

Test	Method	Results	Units
Gravity	ASTM D 4052	10.8	API @ 60F
Flash Point	ASTM D 93B	+195 / +91	F / C
Viscosity @ 122F	ASTM D 445/2161	599.2 / 283	cSt / SFS
Pour Point	ASTM D 97	+27 / -3	F / C
Sediment & Water by Cent.	ASTM D 1796	0.05	% Volume
Sulfur	ASTM D 4294-98	1.43	% Weight
Ash	ASTM D 482	0.060	% Weight
Nitrogen, Chemiluminescence	ASTM D 5762	0.43	% Weight
Vanadium, Organic Dilution	ASTM D 5863B	152	mg/kg
Sodium, Organic Dilution	ASTM D 5863B	<1	mg/kg
Heat of Combustion	ASTM D 240	18,422	BTU's/pound
Heat of Combustion	Conversion	152,549	BTU's/gallon

THE ATTACHED CERTIFICATE REPRESENTS THE PRODUCT INSPECTED BY THE INSPECTION SERVICE ON THE DATE STATED ON THE CERTIFICATE IN THE TANK STATED BY THE INSPECTION SERVICE. SPRAGUE REPRESENTS THAT ANY PRODUCT IT MAY SELL AT THE RACK MAY DIFFER FROM SUCH INSPECTION CERTIFICATE BUT SUCH PRODUCT SHALL MEET THE SPECIFICATIONS AS MAY BE REQUIRED BY ANY APPLICABLE REGULATIONS WITHIN THE STATE THAT THE PRODUCT IS SOLD.

ITS/Caleb Brett

✓ Jil



Name of material being tested
Description of sample source
Samples Drawn by (company)
Samples Tested by (company)

EX. SHORE TANK NO. 1 AFTER TRANSFER EX. TK NO. 3
INSPECTORATE
INSPECTORATE

SPLAB REV 1-98

DENNIS E. CURTIS
Inspectorate America Corp (Searsport, Me.)

✓ ~~Book~~
Zine



Name of material being tested	NO. 6 FUEL OIL 1.0%
Description of sample source	EX. SHORE TANK NO. 1 AFTER DISCHARGE OF GULF STREAM
Samples Drawn by (company)	INSPECTORATE
Samples Tested by (company)	INSPECTORATE

SPLAB REV 1-98

DENNIS E. CURTIS
Inspectorate America Corp (Searsport, Me.)

earsport, Me.)

✓



essel	SHORE TANK NO. 1	Port	SEARSPORT, MAINE	Report	SP/02/0428
stomer	SPRAGUE	Date	April 30, 2002	Reference	
eration	ANALYSIS	Terminal	SPRAGUE	Sample #	578616

NO. 6 FUEL OIL
EX. SHORE TANK NO. 1 AFTER DISCHARGE OF B NO. 120
INSPECTORATE
INSPECTORATE

[illegible]

THE ATTACHED CERTIFICATE REPRESENTS THE PRODUCT INSPECTED BY THE INSPECTION SERVICE ON THE DAY STATED ON THE CERTIFICATE IN THE TANK STATED BY THE INSPECTION SERVICE. SPRAGUE REPRESENTS THAT ANY PRODUCT IT MAY SELL AT THE RACK MAY DIFFER FROM SUCH INSPECTION CERTIFICATE BUT SUCH PRODUCT SHALL MEET THE SPECIFICATIONS AS MAY BE REQUIRED BY ANY APPLICABLE REGULATIONS WITHIN THE STATE THAT THE PRODUCT IS SOLD.

DENNIS E. CURTIS
Inspectorate America Corp (Searsport, Me.)